

GENERAL CLEANING AND MAINTENANCE

BEFORE YOU BEGIN

Regular cleaning of your Renoarts product is recommended and will help to avoid the build up of dirt and grime that can damage and reduce the life of the product.

To keep your product in good condition, it is recommended that residual water spots should be removed from all surfaces after each use. This can be achieved by using a soft squeegee or sponge.

For tougher stains or grease build up, a solution of mild soap and hot water should be used with a soft cleaning cloth.

To protect your product, cleaning solutions that contain the following should be avoided :

- Abrasives
- Alcohol
- Solvents
- Bleach
- Citrus
- Harsh chemicals and disinfectants
- Ammonia or peroxides
- Acid or alkaline

CAREFULLY READ ALL INSTRUCTIONS OF CLEANERS BEFORE APPLYING TO PRODUCT SURFACES

Many bathroom cleaners may contain chemicals that could adversely affect the finish so should only be used with caution at the consumers risk.

RECOMMENDED CLEANING PROCEDURES

Acrylic surfaces (baths and shower trays)

To clean acrylic surfaces use non abrasive soap and water.

It is recommended that the product surface is wiped dry after each use to prevent the build up of soap and scum.

Glass (shower doors)

Glass is porous and this provides an ideal surface for shower grime to adhere. This can result in permanent staining of the glass.

It is recommended that a squeegee or dry towel is used to dry the glass after each use.

Aluminium extrusions (shower door frames)

Regularly wash down aluminium extrusions with a solution of warm water and mild soap to prevent the build up of grime. Grime build up retains contaminated moisture which can result in a chemical attack of the surface over time.

Toilets

If you live in a hard water area, you should make certain that the holes in the rim are kept clean to ensure proper pan flushing.

Toilet cleaners should be used at least once a week. Use a long handled brush to clean the rim holes and to clean as far into the trap as possible to prevent mineral deposits from forming.

Most toilet cleaners are not harmful to the vitreous china surface of the toilet pan, however we do not recommend the use of any cleaning products which are submerged in the cistern as the acids contained within the cleaner will prematurely deteriorate gaskets and valve parts.

Please follow any pan cleaner manufacturer's instructions carefully.

Tapware

Clean the surface with mild soap and warm water, rinse thoroughly with warm water and then wipe dry with a clean soft cloth. The ideal cleaning technique is to always blot dry any water from metal surfaces.

Allowing water to evaporate on metal will form water deposits. It is important to use a dabbing action to dry metal, not an abrasive rubbing action.

VC basins

To clean vitreous china surfaces use non abrasive soap and water.

It is recommended that the product surface is wiped dry after each use to prevent the build up of soap and scum.

Polymermarble vanity tops

To clean Polymermarble cast vanity surfaces use non abrasive soap and water.

It is recommended that the product surface is wiped dry after each use to prevent the build up of soap and scum.

In the event of light scratches in the surface of the top, a mild abrasive such as “Meguiars Mirror Glaze 28 All Metal Polish” can be used to polish them out.

Vanity cupboards


The material used in vanity cabinets is water resistant only, not water proof.

Care must be taken to clean up all water spillage onto the vanity cabinet surfaces.

To maintain the finish on your vanity cabinet clean with mild soapy water and dry with a soft cloth.

For warranty information, please visit our website

NewZealand
www.renoarts.co.nz



CALL US FOR HELP

NEW ZEALAND
Renoarts Bathroom
www.renoarts.co.nz

North Branch
Ph : 099300281
18D Link Drive, Wairau Valley, Auckland 0627

East Tamaki Branch
Ph : 092716664
25b Lorien Place, East Tamaki, Auckland 2013

19/7/2023